

MOVE YOUR FEET

FOOTWEAR CATALOGUE



FEATURES

SOLE FEATURES



130°C
Heat Resistant
sole (266° F)



300°C
Heat Resistant
sole (572° F)



**Abrasion
Resistant sole**



**Cut Resistant
sole**



**Slip Resistant
sole**



Sole resistant to
**mineral oils
and acids**



Sole resistant to
**organic oils
and fats**



HYDROstop
3 year guarantee
against hydrolysis



Antistatic
discharges static
build-up



**Electrical
Resistant**

COMFORT FEATURES



COMFORTcushion
Impact
Absorption



NANOlite
footbed

TOECAP FEATURES



NATUREform
wide profile Type
1 safety toe cap



**Steel Safety
Toe Cap**



HI-Impact ALLOY
Toe Cap
40% lighter



**Composite
Toecap**

SPECIAL FEATURES



**Water Resistant
leather**



**Waterproof
footwear**



Toe Bumper



**Sole penetration
protection**



METflex internal
metatarsal guard



**External
metatarsal guard**



**Hi-Vis Reflective
Safety Trim**



TECTuff
toe and
heel guard



SAFETYcell
protection

AT'S 4

- 45 Series** Dual Density PU / TPU Footwear
- 55 Series** Dual Density PU / Rubber Footwear
- 65 Series** Mining/Caustic Resistant Footwear

WB'S 10

- 33 Series** Dual Density PU Footwear
- 70 Series** Non-Safety Footwear

ST'S 16

- 40 Series** Dual Density PU / TPU Footwear
- 44 Series** Dual Density PU / TPU Footwear

PB'S 18

- 28 Series** PU Footwear
- 48 Series** Dual Density PU / TPU Footwear

HS 20

- 20 Series** Dual Density Rubber Footwear
- 25 Series** Dual Density Rubber Footwear

ACCESSORIES 24

CONTENTS

OLIVER AT's

SOLING TECHNOLOGY

AT's All Terrain TPU Soling Technology

Consists of a lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue. The high density hard-wearing TPU (Thermo Plastic Urethane) outsole provides superior grip and abrasion resistance.

AT's TPU soling technology offers:

- Lightweight sole. Lighter than Rubber. Ideal for the 12 hour work shift.
- Unique sole clearing tread pattern to ensure cleats do not retain stones and dirt.
- Hard wearing. Superior abrasion resistance will significantly outlast other soling materials.
- Specifically designed for the rough uneven outdoor working surfaces.
 - TPU has longer shelf life. Resistant to effects of Hydrolysis.
 - Superior resistance to splitting and cracking.
 - TPU resists most oils, acids and chemicals.
 - Will not mark floors.
 - Excellent slip resistance.



COMFORT TECHNOLOGY

COMFORTcushion Impact Absorption System

COMFORTcushion uses a combination of cellular urethane and PORON to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.




Heel Strike Mid Stance Push Off



NATUREform Type 1 Toe Cap

Oliver NATUREform toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap.



Oliver boots with NATUREform caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



New Hi-Impact ALLOY Toe Cap Technology... 40% lighter

Oliver has pioneered a new innovative Hi-Impact ALLOY Type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.




40% LIGHTER

COMFORT GUARANTEE



Try a pair of correctly fitted Oliver AT45 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †

45 SERIES AT'S FOOTWEAR FEATURES



† Must produce dated receipt and guarantee tag

45 SERIES DUAL DENSITY PU / TPU FOOTWEAR

COMMON FOOTWEAR FEATURES



Oliver has pioneered an innovative HI-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps.

40% LIGHTER

45-632 150MM (6") LACE UP BOOT

Wheat nubuck water resistant leather. Fully lined with Padded comfort collar and tongue. Lace locking device. Sizes 5 - 13, 6½ - 10½.

Extra features



45-645C 150MM (6") LACE UP BOOT

Black water resistant leather. Fully lined with Padded comfort collar and tongue. Lace Locking device. Fully non-metallic. Sizes 5 - 13, 6½ - 10½.

Extra features



45-639 150MM (6") LACE UP BOOT

Claret water resistant leather. Fully lined with Padded comfort collar and tongue. Lace locking device. Sizes 5 - 13, 6½ - 10½.

Extra features



45-665 200MM (8") LACE UP BOOT

Black water resistant leather. Fully lined with Padded comfort collar and tongue. Lace locking device. Sizes 5 - 13, 6½ - 10½.

Extra features



45-626 ELASTIC SIDED BOOT

Claret water resistant leather. Sizes 5 - 13, 6½ - 10½.

Extra features



OLIVER AT's

SOLING TECHNOLOGY

AT's All Terrain Dual Density PU/ Rubber Soling technology

The AT's Dual Density PU / Rubber Soling Technology combines a soft shock absorbing low density PU midsole with a high density hard wearing rubber outsole. The long wearing All Terrain rubber outsole is designed for superior grip and durability.

AT's Rubber soling technology offers:

- Heat Resistant Sole. The outsole is heat resistant to temperatures of 300° Celsius.
- Chemical Resistant Sole. Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior Resistance to cutting and abrasion.
- Antistatic. Discharges anti static buildup.



COMFORT TECHNOLOGY


NANOlite Technology

The Oliver Comfort System now has a unique **NANOlite** footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.




COMFORTcushion Impact Absorption System

Oliver's unique **COMFORTcushion** uses a combination of cellular urethane and **PORON** to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.



NATUREform Type 1 Toe Cap

Oliver **NATUREform** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



COMFORT GUARANTEE



Try a pair of correctly fitted Oliver AT55 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †

55 SERIES AT'S FOOTWEAR FEATURES



† Must produce dated receipt and guarantee tag

55 SERIES DUAL DENSITY PU / RUBBER FOOTWEAR

COMMON FOOTWEAR FEATURES



55-232 150MM (6") LACE-UP BOOT
 Wheat nubuck water-resistant leather. Fully lined with Padded comfort collar and tongue. Lace locking device.
 Sizes 5 - 14, 6½ - 10½



55-227 ELASTIC SIDED BOOT
 Black water-resistant leather.
 Sizes 5 - 14, 6½ - 10½



55-239 150MM (6") LACE-UP BOOT
 Claret water-resistant leather. Fully lined with Padded comfort collar and tongue. Lace locking device.
 Sizes 5 - 14, 6½ - 10½



55-245 150MM (6") LACE-UP BOOT
 Black water-resistant leather. Fully lined with Padded comfort collar and tongue. Lace locking device.
 Sizes 5 - 14, 6½ - 10½



55-285 HI-LEG ZIP SIDED BOOT
 Wheat nubuck water-resistant leather. Padded comfort collar. Lace closing system at front.
 Sizes 5 - 14, 6½ - 10½

OLIVER AT's

SOLING TECHNOLOGY



AT's All Terrain Dual Density PU/ Rubber Soling technology

The AT's Dual Density PU / Rubber Soling Technology combines a soft shock absorbing low density PU midsole with a high density hard wearing rubber outsole. The long wearing All Terrain rubber outsole is designed for superior grip and durability.

AT's Rubber soling technology offers:

- Heat Resistant Sole. The outsole is heat resistant to temperatures of 300° Celsius.
- Chemical Resistant Sole. Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior Resistance to cutting and abrasion.
- Antistatic. Discharges anti static buildup.

COMFORT TECHNOLOGY


NANOlite Technology

The Oliver Comfort System now has a unique NANOlite footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.




COMFORTcushion Impact Absorption System

Oliver's unique COMFORTcushion uses a combination of cellular urethane and PORON to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.



NATUREform Type 1 Toe Cap

Oliver NATUREform toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform caps are licensed to the Australian and New Zealand Standard AS/ NZS 2210.3.



65-691 350MM (14") LACE UP MINING BOOT

Black water resistant leather. Heavy duty Nomex heat and flame resistant stitching. Integrated TPU SAFETYcell. SYMPATEX waterproof liner. Internal METflex metatarsal guard. Non-metallic penetration resistant insole. Fully lined with Padded comfort collar and tongue. Full bellows tongue. Quick release lacing system. Sizes 5 - 14, 6½ - 10½.

Extra features



65-690 250MM (10") LACE UP MINING BOOT

Black water resistant leather. Heavy duty Nomex heat and flame resistant stitching. Integrated TPU SAFETYcell. SYMPATEX waterproof liner. Internal METflex metatarsal guard. Non-metallic penetration resistant insole. Fully lined with Padded comfort collar and tongue. Full bellows tongue. Quick release lacing system. Sizes 5 - 14, 6½ - 10½.

Extra features



65-390 150MM (6") LACE UP BOOT

Tan caustic and water resistant leather. Heavy duty Kevlar stitching on critical seams. Integrated TPU SAFETYcell. Fully lined with Padded comfort collar and tongue. Lace locking fixture. Sizes 5 - 14, 6½ - 10½.

65 SERIES MINING/CAUSTIC RESISTANT FOOTWEAR

COMMON FOOTWEAR FEATURES



65 SERIES AT'S FOOTWEAR FEATURES



Comfort collar
Quick release lacing system
SYMPATEX fully lined waterproof internal bootie liner
COMFORT*cushion* Impact Absorption System uses a combination of cellular urethane and PORON
Bevelled heel for excellent slip resistance
NANO*lite* footbed for enhanced comfort and reduced odour
Stabilising and support shank
Non-Metallic flexible penetration resistant insert
Shock absorbing Polyurethane midsole
Full Grain water resistant leather
Nomex thread on critical wear seams for maximum abrasion and chemical resistance
MET*flex* internal flexible metatarsal guard
Anti fungal liner
Latex toe cap liner for added comfort
Protection strip
NATURE*form* Type 1 Toe Cap. Wider profile for greater comfort
TPU SAFETY*cell*
Long wearing All Terrain rubber outsole designed for superior grip and durability. Anti Static

Kevlar thread on critical wear seams for maximum abrasion and chemical resistance
Heel protection guard
Bevelled heel for excellent slip resistance
NANO*lite* footbed for enhanced comfort and reduced odour
Stabilising and support shank
Shock absorbing Polyurethane midsole
Chemical and water resistant leather
Lace locking fixture
COMFORT*cushion* Impact Absorption System uses a combination of cellular urethane and PORON
Anti fungal liner
Latex toe cap liner for added comfort
Protection strip
NATURE*form* Type 1 Toe Cap. Wider profile for greater comfort
TPU SAFETY*cell*
Long wearing All Terrain rubber outsole designed for superior grip and durability. Anti Static



SOLING TECHNOLOGY

GRIPthane II Dual Density Polyurethane Technology

This unique Oliver dual density polyurethane construction combines a soft shock absorbing low density midsole with a hard wearing outer sole for tough working conditions. The softer midsole core extends deep into the cleat which not only assists with surface grip, but also provides cushioning to absorb the shock of rough surfaces and "smooths out" your stride.

The GRIPthane II outsole has been developed to answer demanding adherence requirements in slippery conditions. Exceeds International Standard ISO 20345 (test method) ISO 13287:2006).

GRIPthane II Sole Features:


- A tread pattern that sweeps away lubricant leaving dry contact under the cleats.
- Cleat design together with soft flexible core maximises surface contact.
- Well defined leading edges.
- Bevelled heel to improve grip.
- Tread support under arch.
- Resistant to temperatures up to 130° Celsius (266° F) and most oils, acids and alkalies.

HYDROstop Protection

Exclusive to Oliver, HYDROstop offers a 3 year guarantee against the effects of hydrolysis and microbiotic attack on the sole.



COMFORT TECHNOLOGY




PORON
Performance Excellence



COMFORTcushion Impact Absorption System

COMFORTcushion uses a combination of cellular urethane and PORON to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.



NATUREform Type 1 Toe Cap

Oliver NATUREform toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

33'S FOOTWEAR FEATURES



- Water Resistant Leather
- Anti-fungal liner
- Latex toe cap liner for added comfort
- Protection strip
- NATUREform Type 1 Toe cap
- Fully lined
- Bevelled heel for excellent slip resistance
- COMFORTcushion Impact Absorption System uses a combination of cellular urethane and PORON
- Shock absorbing Polyurethane midsole
- GRIPthane II tread pattern for greater traction - optimises surface contact & reduces slippage

33 SERIES DUAL DENSITY PU FOOTWEAR

COMMON FOOTWEAR FEATURES



33-611 LACE UP JOGGER

Black water resistant nubuck with silver fluoro hi-vis trim. Fully lined with Padded comfort collar and tongue. Sizes 4 - 13, 6½ - 10½.

Extra features



33-621 ANKLE HEIGHT LACE UP JOGGER

Black water resistant nubuck with silver fluoro hi-vis trim. Fully lined with Padded comfort collar and tongue. Sizes 4 - 13, 6½ - 10½.

Extra features



33-652 LACE UP DERBY SHOE

Black smooth full grain water resistant leather. Padded comfort collar. Sizes 4 - 13, 6½ - 10½.

33 SERIES DUAL DENSITY PU FOOTWEAR

COMMON FOOTWEAR FEATURES



33-634 ANKLE HEIGHT LACE UP BOOT
Black full grain water resistant leather. Padded comfort collar.
Sizes 4 - 13, 6½ - 10½.



33-632 ANKLE HEIGHT LACE UP BOOT
Sand nubuck water resistant leather. Padded comfort collar.
Sizes 4 - 13, 6½ - 10½.
Also available with steel midsole **33632P** 



33-670 HIGH LEG LACE UP BOOT
Claret kip water resistant leather.
Full bellows tongue.
Sizes 4 - 13, 6½ - 10½.



33-660 HIGH LEG LACE UP BOOT
Tobacco suede split water resistant leather.
Full bellows tongue.
Sizes 4 - 13, 6½ - 10½.



33-691 HIGH LEG PULL ON BOOT
Smooth full grain brown leather. Fully lined.
Sizes 4 - 13, 6½ - 10½.

33 SERIES DUAL DENSITY PU FOOTWEAR

COMMON FOOTWEAR FEATURES



33-626 ELASTIC SIDED BOOT
 Claret kip full grain water resistant leather.
 Sizes 4 - 13, 6½ - 10½.
 Also available with steel midsole 33626P



33-680 ELASTIC SIDED BOOT
 Black rambler leather. This style is **not water resistant**.
 Sizes 4 - 13, 6½ - 10½.



33-624 ELASTIC SIDED BOOT
 Beige suede split water resistant leather.
 Sizes 4 - 13, 6½ - 10½.




33-630 ELASTIC SIDED BOOT
 Natural tan water resistant full grain leather.
 Sizes 4 - 13, 6½ - 10½.



33-620 ELASTIC SIDED BOOT
 Black smooth full grain water resistant leather.
 Sizes 4 - 13, 6½ - 10½.



COMFORT TECHNOLOGY



PORON
Performance in Urethanes



COMFORTcushion Impact Absorption System

COMFORTcushion uses a combination of cellular urethane and PORON to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.

SOLING TECHNOLOGY



70 Series Non-Safety TPU Soling Technology

The 70 series sole consists of a lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue. The high density hard-wearing TPU (Thermo Plastic Urethane) outsole provides superior grip and abrasion resistance.

70 Series Non-Safety TPU (Thermo Plastic Urethane) soling technology offers:

- Ultra lightweight sole, ideal for the 12 hour work shift.
- TPU has longer shelf life.
- Resistant to the effects of Hydrolysis.
- Superior abrasion resistance.
- Superior resistance to splitting and cracking.
- TPU is resistant to most oils, acids and chemicals.
- Will not mark floors.
- Excellent slip resistance.



70-939 ANKLE HEIGHT LACE UP BOOT

Lightweight Dual Density TPU/PU sole. Claret kip water resistant leather. Padded comfort collar. Sizes 5 - 13, 6½ - 10½.

70 SERIES NON-SAFETY FOOTWEAR

COMMON FOOTWEAR FEATURES



70-921 ELASTIC SIDED BOOT

Lightweight Dual Density TPU/PU sole. Black waxy water resistant leather. Sizes 5 - 13, 6½ - 10½.



70-982 ELASTIC SIDED BOOT

Lightweight Dual Density TPU/PU sole. Claret kip water resistant leather. Sizes 5 - 13, 6½ - 10½.



SOLING TECHNOLOGY

SPORTflex TPU Soling Technology


The **SPORTflex** sole consists of a lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue. The high density hard-wearing TPU (Thermo Plastic Urethane) outsole provides superior grip and abrasion resistance.

SPORTflex TPU (Thermo Plastic Urethane) soling technology offers:

- Ultra lightweight sole. Lighter than PU and Rubber. Ideal for the 12 hour work shift.
- TPU has longer shelf life. Resistant to effects of Hydrolysis
- Superior abrasion resistance
- Superior resistance to splitting and cracking
- TPU is resistant to most oils, acids and chemicals
- Will not mark floors
- Excellent slip resistance



COMFORT TECHNOLOGY




PORON
Performance Excellence



COMFORTcushion Impact Absorption System


COMFORTcushion uses a combination of cellular urethane and **PORON** to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.



NATUREform Type 1 Toe Cap

Oliver **NATUREform** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

40 SERIES FOOTWEAR FEATURES



40 SERIES DUAL DENSITY PU / TPU FOOTWEAR

COMMON FOOTWEAR FEATURES



40-550 LIGHTWEIGHT SLIP ON SPORTS SHOE

Wheat water resistant nubuck leather with black EXPANDflex for easy donning and doffing. Fully lined.
 Sizes 5 - 13, 6½ - 10½.



40-545 LIGHTWEIGHT SLIP ON SPORTS SHOE

Black water resistant nubuck leather with black EXPANDflex for easy donning and doffing. Fully lined.
 Sizes 5 - 13, 6½ - 10½.



40-515 LACE UP SPORTS SHOE

Black water resistant nubuck leather with black/white trim. Fully lined with Padded comfort collar and tongue.
 Sizes 5 - 13, 6½ - 10½.



40-530 LACE UP SPORTS BOOT

Black water resistant nubuck leather upper with black/gold trim. Fully lined with Padded comfort collar and tongue.
 Sizes 5 - 13, 6½ - 10½.



SOLING TECHNOLOGY

ST's TPU Soling Technology

The ST 44 Series sole consists of a lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue. The high density hard-wearing TPU (Thermo Plastic Urethane) outsole provides superior grip and abrasion resistance.

ST's TPU (Thermo Plastic Urethane) soling technology offers:

- Ultra, lightweight sole. Lighter than PU and Rubber. Ideal for the 12 hour work shift.
- TPU has longer shelf life. Resistant to effects of Hydrolysis.
- Superior abrasion resistance.
- Superior resistance to splitting and cracking.
- TPU has excellent resistance to oils, acids and chemicals.
- Will not mark floors.
- Excellent slip resistance.
- Anti Static



COMFORT TECHNOLOGY


NANOlite Technology

The Oliver Comfort System now has a unique **NANOlite** footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Built in perforated air control enhances air circulation and assists in reducing odour.




COMFORTcushion Impact Absorption System

Oliver's unique **COMFORTcushion** uses a combination of cellular urethane and **PORON** to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.



New Non Metallic Composite Toe Cap Technology

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.



NATUREform Type 1 Toe Cap

Oliver **NATUREform** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



COMFORT GUARANTEE



Try a pair of correctly fitted Oliver AT44 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †

44 SERIES ST'S FOOTWEAR FEATURES



† Must produce dated receipt and guarantee tag

44 SERIES DUAL DENSITY PU / TPU FOOTWEAR

COMMON FOOTWEAR FEATURES



44-510 LACE UP SHOE

Nubuck leather and Fabric upper with Red/Black trim. Padded comfort collar and tongue.
Sizes 5 - 14, 6½ - 10½.



44-515 LACE UP SHOE

Nubuck leather and Fabric upper with Grey/Black trim. Padded comfort collar and tongue.
Sizes 5 - 14, 6½ - 10½.



44-535 LACE UP BOOT

Nubuck leather and Fabric upper with Blue/Grey trim. Padded comfort collar and tongue.
Sizes 5 - 14, 6½ - 10½.

Extra features





COMMON FOOTWEAR FEATURES



SOLING TECHNOLOGY

Protect yourself in style


To ensure your comfort, Oliver 28 Series PB's are a broad fitting safety shoe, featuring a wide profile toe cap, comfort liner, cushioned heel pad, arch support and a light weight dual density polyurethane sole that allows for the absorption of energy transmitted into the heel when walking on hard surfaces.

28 Series PB's PU (Polyurethane) sole features:

- Lightweight, flexible and durable dual density polyurethane sole that is ideal for a long shift or extended use.
- Polyurethane sole with non slip tread pattern for greater slip resistance
- Antistatic
- Superb midsole cushioning with high density wearing outsole.
- PORON Heel impact absorption system
- Fully lined
- Resistant to temperatures up to 130° Celsius and most oils, acids and alkalis



COMFORT TECHNOLOGY



NATUREform Type 1 Toe Cap

Oliver NATUREform toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

28 SERIES PB'S FOOTWEAR FEATURES



28-250 SLIP ON SHOE

Black full grain leather. Fully lined.
Sizes 5 - 12, 6½ - 10½.



28-255 LACE UP DERBY EXECUTIVE SHOE

Black full grain leather. Fully lined.
Sizes 5 - 12, 6½ - 10½.



28-275 LACE UP DERBY CASUAL SHOE

Black full grain leather. Fully lined.
Sizes 5 - 12, 6½ - 10½.

48 SERIES LADIES DUAL DENSITY PU / TPU FOOTWEAR

COMMON FOOTWEAR FEATURES



SOLING TECHNOLOGY

PB's 48 Series Ladies Lightweight Dual Density TPU Soling Technology...

To assist in achieving this lightweight solution, Oliver has developed a new TPU (Thermo Plastic Urethane) sole that consists of a lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue. The high density hard-wearing TPU (Thermo Plastic Urethane) outsole provides superior grip and abrasion resistance.

PB's 48 Series Ladies TPU (Thermo Plastic Urethane) soling technology offers:

- Lightweight sole. Lighter than Rubber. Ideal for the long working day.
- Hard wearing. Superior abrasion resistance will significantly outlast other soling materials.
- TPU has longer shelf life. Resistant to effects of Hydrolysis.
- Superior resistance to splitting and cracking.
- TPU resists Oil, acid and chemical resistant.
- Colourfast. Will not mark floors.
- Excellent slip resistance.


OLIVER LADIES SIZE CONVERSION CHART

METRIC	UK/AUST WOMEN
35	5
36	6
37	6½
38	7
	7½
39	8
40	8½
41	9
	9½
42	10

* Chart is to be used as a guide only


* When ordering ladies styles only quote METRIC sizes

COMFORT TECHNOLOGY



COMFORTcushion Impact Absorption System

COMFORTcushion uses a combination of cellular urethane and PORON to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.



NATUREform Type 1 Toe Cap

Oliver NATUREform toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



48-430 SLIP ON SHOE

Black water resistant full grain leather. Fully lined with Padded comfort collar. Elastic gusset. Sizes Metric: 35 - 42.



48-445 ANKLE HEIGHT LACE UP BOOT

Black water resistant full grain leather. Fully lined with Padded comfort collar. Sizes Metric: 35 - 42.



48-450 LACE UP DERBY STYLE SHOE

Black water resistant full grain leather. Fully lined with Padded comfort collar. Sizes Metric: 35 - 42.



SOLING TECHNOLOGY

Oliver SOFTtrac Dual Density Technology


SOFTtrac Dual Density Nitrile Rubber Soling System utilises two layers of expanded rubber cells to provide a level of comfort and flexibility previously unknown in rubber soling. The **SOFTtrac** sole is not only hard wearing for the harshest of working conditions, but also light and flexible to provide exceptional wearer comfort.



SOFTtrac Technology Features:

- Heat Resistant Sole. The entire sole is heat resistant to temperatures of 300° Celsius (572° F).
- Chemical Resistant Sole. Resistant to mineral oils, acids, alkalies, animal fats and oils.
- Superior Resistance to cutting and abrasion.

COMFORT TECHNOLOGY




PORON®
Performance Excellence



COMFORTcushion Impact Absorption System

COMFORTcushion uses a combination of cellular urethane and **PORON** to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.



NATUREform Type 1 Toe Cap

Oliver **NATUREform** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

20 SERIES HS FOOTWEAR FEATURES



20 SERIES DUAL DENSITY RUBBER FOOTWEAR

COMMON FOOTWEAR FEATURES



20-320 ELASTIC SIDED BOOT

Black water resistant leather.
Sizes 4 - 13, 6½ - 10½.

Also available with
steel midsole 20320P



Also available with
toe bumper 20320B



20-334 ANKLE HEIGHT LACE UP BOOT

Black water resistant leather. Padded comfort collar. Full bellows tongue.
Sizes 4 - 13, 6½ - 10½.

Also available with
steel midsole 20334P



Also available with
toe bumper 20334B



20-352 LACE UP DERBY SHOE

Smooth black full grain water-resistant leather. Padded comfort collar.
Sizes 4 - 13, 6½ - 10½.

Also available with
steel midsole 20352P



Also available with
toe bumper 20352B





25 SERIES DUAL DENSITY RUBBER FOOTWEAR

COMMON FOOTWEAR FEATURES



SOLING TECHNOLOGY

25 Series HS Dual Density Soling Technology

The 25 Series HS Dual Density Nitrile Rubber Soling System utilises two layers of expanded rubber cells, a soft midsole which cushions the foot on impact and a high density hard-wearing outsole. This provides a level of comfort and flexibility previously unknown in rubber soling. Heat resistant to 300° Celsius (572° F).

HS Dual Density soling technology offers:

- Heat Resistant Sole. The entire sole is heat resistant to temperatures of 300° Celsius (572° F).
- Chemical Resistant Sole. Resistant to mineral oils, acids, alkalies, animal fats and oils.
- Superior Resistance to cutting and abrasion.



COMFORT TECHNOLOGY


COMFORTcushion Impact Absorption System

COMFORTcushion uses a combination of cellular urethane and PORON to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.



NATUREform Type 1 Toe Cap

Oliver NATUREform toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.




New Hi-Impact ALLOY Toe Cap Technology... 40% lighter

Oliver has pioneered a new innovative Hi-Impact ALLOY Type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.



FIRE & EMERGENCY SERVICES FOOTWEAR



25-395 200MM (8") LACE UP STRUCTURAL FIREFIGHTERS BOOT

Water resistant and flame retardant leather. SYMPATEX breathable water proof internal bootie. Australian '3M' Flame resistant high visibility reflective tape. TECtuff toe bumper protection. STEELflex stainless steel penetration resistant sole plate. Heavy duty Nomex stitching and flame proof laces. Lace in quick release zipper attachment. Sizes 3 - 14, 5½ - 10½.

Extra features



25-396 250MM (10") PULL ON STRUCTURAL FIREFIGHTERS BOOT

Water resistant leather. SYMPATEX breathable water proof internal bootie. Australian '3M' Flame resistant high visibility reflective tape. TECtuff toe bumper protection. STEELflex stainless steel penetration resistant sole plate. Heavy duty Nomex stitching. Sizes 3 - 14, 5½ - 10½.

Extra features



25 SERIES DUAL DENSITY RUBBER FOOTWEAR

COMMON FOOTWEAR FEATURES



SOLING TECHNOLOGY

25 Series HS Dual Density Soling Technology

The 25 Series HS Dual Density Nitrile Rubber Soling System utilises two layers of expanded rubber cells, a soft midsole which cushions the foot on impact and a high density hard-wearing outsole. This provides a level of comfort and flexibility previously unknown in rubber soling.

Heat resistant to 300° Celsius (572° F).

HS Dual Density soling technology offers:

- Heat Resistant Sole. The entire sole is heat resistant to temperatures of 300° Celsius (572° F).
- Chemical Resistant Sole. Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior Resistance to cutting and abrasion.

COMFORT TECHNOLOGY

NANOlite Technology

The Oliver Comfort System now has a unique **NANOlite** footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Built in perforated air control enhances air circulation and assists in reducing odour.




COMFORTcushion Impact Absorption System

Oliver's unique **COMFORTcushion** uses a combination of cellular urethane and **PORON** to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.



NATUREform Type 1 Toe Cap

Oliver **NATUREform** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



New Hi-Impact ALLOY Toe Cap Technology... 40% lighter

Oliver has pioneered a new innovative Hi-Impact **ALLOY** Type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.



STEEL/SMELTER/CASTING INDUSTRY FOOTWEAR



25-298 SMELTER BOOT

Heat resistant and flame retardant leather. Velcro closure system. 3 rows of heavy duty Kevlar stitching. **TECtuff** toe bumper protection. Fully lined with padded comfort collar. Sizes 5 - 14, 6½ - 10½.



25-299 SMELTER BOOT

Heat resistant and flame retardant leather. Velcro closure system. 3 rows of heavy duty Kevlar stitching. Metatarsal guard. **TECtuff** toe bumper protection. Fully lined with padded comfort collar. Sizes 5 - 14, 6½ - 10½.

Extra features



ACCESSORIES



INSOL-N NANOLite FOOTBED

NANOLite Impact Absorption System insole with PORON.
Sizes 4 - 14.



LACE-BB

Black/brown/beige/green fleck. Length (cm): 110, 136.



LACE-BG

Black/green fleck. Length (cm): 80, 110, 136.



LACE-BL

Black. Length (cm): 80, 105, 136, 140.



LACE-BW

Black/white. Length (cm): 90, 110.



LACE-BY

Black/yellow. Length (cm): 110.



LACE-FP

Fireproof laces for fireboots. Styles 25-395, black. Length (cm): 160.



LACE-GB

Grey/black. Length (cm): 125, 145, 155, 165, 175, 210, 225, 235, 250.



LACE-GO

Gold/brown. Length (cm): 75, 85, 145, 155.



LACE-GR

Grey/red. Length (cm): 125.



LACE-BU

Blue. Length (cm): 145.



ZIP395 SPARE ZIP FOR STYLE 25-395

Sizes 3 - 14.

OLIVER SIZE CONVERSION CHART

UK/AUST MEN	UK/AUST LADIES	METRIC	USA MEN	USA LADIES
3	5	35	4	5, 5½
4	6	36	5	6, 6 ½
4½	6½	37	5½	7
5	7	38	6	7½
5½	7½		6½	8
6	8	39	7	8½
6½	8½	40	7½	9
7	9	41	8	9½
7½	9½		8½	10
8	10	42	9	10½
8½			9½	11
9		43	10	
9½			10½	
10		44	11	
10½		45	11½	
11		46	12	
12		47	13	
13		48	14	
14		49	15	
15		50	16	

* Chart is to be used as a guide only, it is recommended to always try on shoe for fit before purchasing

** When ordering mens styles always quote UK/AUST MEN sizing

*** When ordering ladies styles always quote METRIC sizing

A PROUD TRADITION – FOUNDED 1887

Oliver Footwear, now a fourth generation Australian owned family company, owes its origins to gold mining in the Victorian provincial city of Ballarat.

Our founder James Oliver, a bootmaker by trade, came to the goldfields of Ballarat, then amongst the richest alluvial and underground mining fields in the world, in the mid 1800's.

His quest for the elusive nuggets was unsuccessful, so he returned to the trade of bootmaking which he had learned in the U.K.

Established as the business of Oliver & Stevens, the new venture commenced producing boots for miners and farmers in 1887.

Throughout our long history, Oliver Footwear has remained in the control of the Oliver family, with Andrew Oliver, a fourth generation descendant of our founder, James Oliver, currently Executive Chairman of the company.

The same entrepreneurial streak which marked the establishment of Oliver Footwear in 1887 continues today.

Oliver Footwear retains its committed to innovation in product research and development to address the needs and demands of tough workplace safety environments is a central part of our company philosophy.

Innovation in manufacturing technology and business systems is reflected in millions of dollars in new capital investments made by the company in recent years.

Oliver Footwear today is Australia's largest producer of industrial and safety footwear and a company committed to operating at world's best practices in all dimensions.

THE OLIVER PROMISE...

COMFORT

Oliver guarantee total comfort. From our energy absorbing soling technology to removable **COMFORTcushion** PORON/PU footbeds and leather uppers, Oliver delivers superior comfort with every step you take.

PERFORMANCE

Oliver provides total-foot support and superior stability which not only keeps you safe at work but comfortable all day long.

DURABILITY

Oliver boots and shoes are built to last with tough, quality materials and a construction that protects your feet from hazards all year round.

OLIVER 6 MONTH MANUFACTURER'S WARRANTY...



Oliver stands for quality, comfort and protection. That's why our safety footwear is backed by a 6 month Manufacturers warranty... the Oliver Promise.

Oliver leather safety shoes and boots are warranted for six (6) months from the date of purchase against defective workmanship and/or materials when used under normal conditions for the purpose intended. The warranty is void if in the opinion of Oliver that the product has been misused or subject to excessive wear and tear including exposure to chemicals, cement, lime or heat if the footwear has not been designed to be used in these environments.

As a requirement of this warranty the purchaser must present the footwear and provide evidence of purchase. This warranty is in addition to, and does not limit consumer's statutory rights.



BALLARAT AUSTRALIA

OLIVER FOOTWEAR

Prest Street Ballarat

Victoria 3350 Australia

Tel: 1300 1 BOOTS (26687)

Fax: (03) 53 200 299

Email: info@oliver.com.au

www.oliver.com.au



LOVE YOUR FEET MORE